Fragrant eryngo

(Eryngium aromaticum)

For definitions of botanical terms, visit en.wikipedia.org/wiki/Glossary_of_botanical_terms.

For much of the year, Fragrant eryngo goes unnoticed among the diverse flora of Florida's dry flatwoods, scrub and sandhills. However, when it bursts into bloom in summer through late fall, the petite white to light blue flowers can be found in abundance. Almost endemic to our state, it also ranges slightly into Alabama and Georgia.

Stems are 1-2 feet long, prostrate, and emerge from a basal rosette of dissected



Photo by Emily Bell

leaves with spiny tips. These light green stems bear alternate leaves that are even more deeply dissected than those at the base. Numerous flowerheads form at the end of each stem. Individual flowerheads are about ½ inch in diameter, globular and are surrounded by spiny bracts. With the sprawling habit of the stems, these plants stand only about 6 inches to 1 foot high.

Fragrant eryngo attracts numerous pollinators including sweat bees, thread-waisted wasps and small potter wasps. It is also a larval host for the Eastern black swallowtail butterfly.

Family: Apiaceae (Carrot, celery or parsley family)
Native range: Peninsular Florida

To see where natural populations of Fragrant eryngo have been vouchered, visit www.florida.plantatlas.usf.edu.

Lifespan: Perennial

Soil: Well drained sand

Exposure: Full sun

Growth habit: Low growing and sprawling

Propagation: Seed
Florida regions of landscape suitability: North, Central, South
Garden tips: As a useful pollinator plant, Fragrant eryngo can make a nice addition to a naturalistic butterfly garden. Its low-growing, rambling habit is not well suited to a more formal garden aesthetic.

Fragrant eryngo is uncommon in cultivation but may occasionally be available from nurseries that specialize in Florida native plants. Visit www.PlantRealFlorida.org to find a nursery in your area.





